



The economical chipboard screw for applications in wood



BUILDING MATERIALS

- Glued-laminated timber
- Cross-laminated timber
- Laminated veneer plywood panels (e.g. Multiplex)
- Hard woods
- Chipboards and oriented strand boards (e.g. OSB panels)
- Plywood
- Solid wood panels
- Soft woods
- and many other wood materials

ADVANTAGES/BENEFITS

- Because of its thread geometry, the fischer Classic-Fast can be reliably used in all wood materials. It thus provides an optimal cost-performance ratio.
- The optimised head geometry with underhead cutting ribs also affords an exact and splinter-free surface finish even with connections close to the edge.
- The double cone at the transition from the head to the shank of the screw increases the turning torque. This keeps the screw from twisting off.


APPLICATIONS

- General wood joints
- Finger tightening elements
- Plankings
- Skirting
- Door and metal fittings

FUNCTIONING

- Screws with partial threads can lock wood parts into place by tightening them against each other.
- Full-thread screws are recommended for mounting thin parts and in less firm wood materials (e.g. soft woods).
- Screws with countersunk head can be flush mounted with the wood.

TECHNICAL DATA



CSK head, PZ, yellow zinc plated, full thread

Diameter 3,0

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|----------|--------------------------|--|---------------------|
| 3,0 | 12 | PZ1 | 651021 | FSP-SZ 3,0 x 12 YZF 300 | 8 | 300 |
| 3,0 | 16 | PZ1 | 651026 | FSP-SZ 3,0 x 16 YZF 1000 | 12 | 1000 |
| 3,0 | 16 | PZ1 | 651025 | FSP-SZ 3,0 x 16 YZF 300 | 12 | 300 |
| 3,0 | 12 | PZ1 | 651022 | FSP-SZ 3,0 x 12 YZF 1000 | 8 | 1000 |
| 3,0 | 20 | PZ1 | 651029 | FSP-SZ 3,0 x 20 YZF 300 | 16 | 300 |
| 3,0 | 20 | PZ1 | 651030 | FSP-SZ 3,0 x 20 YZF 1000 | 16 | 1000 |
| 3,0 | 25 | PZ1 | 651033 | FSP-SZ 3,0 x 25 YZF 300 | 21 | 300 |
| 3,0 | 25 | PZ1 | 651034 | FSP-SZ 3,0 x 25 YZF 1000 | 21 | 1000 |
| 3,0 | 30 | PZ1 | 651037 | FSP-SZ 3,0 x 30 YZF 300 | 26 | 300 |
| 3,0 | 30 | PZ1 | 651038 | FSP-SZ 3,0 x 30 YZF 1000 | 26 | 1000 |
| 3,0 | 35 | PZ1 | 651041 | FSP-SZ 3,0 x 35 YZF 300 | 31 | 300 |
| 3,0 | 35 | PZ1 | 651042 | FSP-SZ 3,0 x 35 YZF 1000 | 31 | 1000 |

Diameter 3,5

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|---------------|---------------------------------|--|---------------------|
| 3,5 | 12 | PZ2 | 651061 | FSP-SZ 3,5 x 12 YZF 300 | 8 | 300 |
| 3,5 | 12 | PZ2 | 651062 | FSP-SZ 3,5 x 12 YZF 1000 | 8 | 1000 |
| 3,5 | 16 | PZ2 | 651065 | FSP-SZ 3,5 x 16 YZF 300 | 12 | 300 |
| 3,5 | 16 | PZ2 | 651066 | FSP-SZ 3,5 x 16 YZF 1000 | 12 | 1000 |
| 3,5 | 20 | PZ2 | 651069 | FSP-SZ 3,5 x 20 YZF 300 | 16 | 300 |
| 3,5 | 20 | PZ2 | 651070 | FSP-SZ 3,5 x 20 YZF 1000 | 16 | 1000 |
| 3,5 | 25 | PZ2 | 651073 | FSP-SZ 3,5 x 25 YZF 300 | 21 | 300 |
| 3,5 | 25 | PZ2 | 651074 | FSP-SZ 3,5 x 25 YZF 1000 | 21 | 1000 |
| 3,5 | 30 | PZ2 | 651077 | FSP-SZ 3,5 x 30 YZF 300 | 26 | 300 |
| 3,5 | 30 | PZ2 | 651078 | FSP-SZ 3,5 x 30 YZF 1000 | 26 | 1000 |
| 3,5 | 35 | PZ2 | 651081 | FSP-SZ 3,5 x 35 YZF 300 | 31 | 300 |
| 3,5 | 35 | PZ2 | 651082 | FSP-SZ 3,5 x 35 YZF 1000 | 31 | 1000 |
| 3,5 | 40 | PZ2 | 651088 | FSP-SZ 3,5 x 40 YZF 300 | 36 | 300 |
| 3,5 | 40 | PZ2 | 651089 | FSP-SZ 3,5 x 40 YZF 1000 | 36 | 1000 |
| 3,5 | 45 | PZ2 | 651096 | FSP-SZ 3,5 x 45 YZF 1000 | 41 | 1000 |

Diameter 4,0

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|---------------|---------------------------------|--|---------------------|
| 4,0 | 16 | PZ2 | 651107 | FSP-SZ 4,0 x 16 YZF 300 | 11 | 300 |
| 4,0 | 16 | PZ2 | 651108 | FSP-SZ 4,0 x 16 YZF 1000 | 11 | 1000 |
| 4,0 | 20 | PZ2 | 651111 | FSP-SZ 4,0 x 20 YZF 300 | 15 | 300 |
| 4,0 | 20 | PZ2 | 651112 | FSP-SZ 4,0 x 20 YZF 1000 | 15 | 1000 |
| 4,0 | 25 | PZ2 | 651115 | FSP-SZ 4,0 x 25 YZF 300 | 20 | 300 |
| 4,0 | 25 | PZ2 | 651116 | FSP-SZ 4,0 x 25 YZF 1000 | 20 | 1000 |
| 4,0 | 30 | PZ2 | 651119 | FSP-SZ 4,0 x 30 YZF 300 | 25 | 300 |
| 4,0 | 30 | PZ2 | 651120 | FSP-SZ 4,0 x 30 YZF 1000 | 25 | 1000 |
| 4,0 | 35 | PZ2 | 651126 | FSP-SZ 4,0 x 35 YZF 300 | 30 | 300 |
| 4,0 | 35 | PZ2 | 651127 | FSP-SZ 4,0 x 35 YZF 1000 | 30 | 1000 |
| 4,0 | 40 | PZ2 | 651134 | FSP-SZ 4,0 x 40 YZF 300 | 35 | 300 |
| 4,0 | 40 | PZ2 | 651135 | FSP-SZ 4,0 x 40 YZF 1000 | 35 | 1000 |
| 4,0 | 45 | PZ2 | 651142 | FSP-SZ 4,0 x 45 YZF 300 | 40 | 300 |
| 4,0 | 45 | PZ2 | 651143 | FSP-SZ 4,0 x 45 YZF 500 | 40 | 500 |
| 4,0 | 50 | PZ2 | 651148 | FSP-SZ 4,0 x 50 YZF 200 | 45 | 200 |
| 4,0 | 50 | PZ2 | 651149 | FSP-SZ 4,0 x 50 YZF 500 | 45 | 500 |

Diameter 4,5

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|---------------|---------------------------------|--|---------------------|
| 4,5 | 16 | PZ2 | 651167 | FSP-SZ 4,5 x 16 YZF 300 | 11 | 300 |
| 4,5 | 20 | PZ2 | 651171 | FSP-SZ 4,5 x 20 YZF 300 | 15 | 300 |
| 4,5 | 20 | PZ2 | 651172 | FSP-SZ 4,5 x 20 YZF 1000 | 15 | 1000 |
| 4,5 | 25 | PZ2 | 651175 | FSP-SZ 4,5 x 25 YZF 300 | 20 | 300 |
| 4,5 | 25 | PZ2 | 651176 | FSP-SZ 4,5 x 25 YZF 1000 | 20 | 1000 |
| 4,5 | 30 | PZ2 | 651179 | FSP-SZ 4,5 x 30 YZF 300 | 25 | 300 |
| 4,5 | 30 | PZ2 | 651180 | FSP-SZ 4,5 x 30 YZF 1000 | 25 | 1000 |
| 4,5 | 35 | PZ2 | 651182 | FSP-SZ 4,5 x 35 YZF 300 | 30 | 300 |
| 4,5 | 35 | PZ2 | 651183 | FSP-SZ 4,5 x 35 YZF 500 | 30 | 500 |
| 4,5 | 40 | PZ2 | 651188 | FSP-SZ 4,5 x 40 YZF 200 | 35 | 200 |
| 4,5 | 40 | PZ2 | 651189 | FSP-SZ 4,5 x 40 YZF 500 | 35 | 500 |
| 4,5 | 45 | PZ2 | 651194 | FSP-SZ 4,5 x 45 YZF 200 | 40 | 200 |
| 4,5 | 45 | PZ2 | 651195 | FSP-SZ 4,5 x 45 YZF 500 | 40 | 500 |
| 4,5 | 50 | PZ2 | 651200 | FSP-SZ 4,5 x 50 YZF 200 | 45 | 200 |
| 4,5 | 50 | PZ2 | 651201 | FSP-SZ 4,5 x 50 YZF 500 | 45 | 500 |

Diameter 5,0

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|---------------|--------------------------------|--|---------------------|
| 5,0 | 20 | PZ2 | 651223 | FSP-SZ 5,0 x 20 YZF 200 | 14 | 200 |
| 5,0 | 20 | PZ2 | 651224 | FSP-SZ 5,0 x 20 YZF 500 | 14 | 500 |
| 5,0 | 25 | PZ2 | 651227 | FSP-SZ 5,0 x 25 YZF 200 | 19 | 200 |
| 5,0 | 25 | PZ2 | 651228 | FSP-SZ 5,0 x 25 YZF 500 | 19 | 500 |
| 5,0 | 30 | PZ2 | 651231 | FSP-SZ 5,0 x 30 YZF 200 | 24 | 200 |
| 5,0 | 30 | PZ2 | 651232 | FSP-SZ 5,0 x 30 YZF 500 | 24 | 500 |
| 5,0 | 35 | PZ2 | 651235 | FSP-SZ 5,0 x 35 YZF 200 | 29 | 200 |
| 5,0 | 35 | PZ2 | 651236 | FSP-SZ 5,0 x 35 YZF 500 | 29 | 500 |
| 5,0 | 40 | PZ2 | 651243 | FSP-SZ 5,0 x 40 YZF 200 | 34 | 200 |
| 5,0 | 40 | PZ2 | 651244 | FSP-SZ 5,0 x 40 YZF 500 | 34 | 500 |
| 5,0 | 60 | PZ2 | 651258 | FSP-SZ 5,0 x 60 YZF 200 | 54 | 200 |
| 5,0 | 60 | PZ2 | 651259 | FSP-SZ 5,0 x 60 YZF 500 | 54 | 500 |

Diameter 6,0

| Diameter d [mm] | Length l [mm] | Drive | Art.-No. | Type | Full thread length l _G [mm] | Sales unit [pcs] |
|-----------------------|---------------------|-------|---------------|--------------------------------|--|---------------------|
| 6,0 | 40 | PZ3 | 651285 | FSP-SZ 6,0 x 40 YZF 200 | 34 | 200 |
| 6,0 | 40 | PZ3 | 651286 | FSP-SZ 6,0 x 40 YZF 500 | 34 | 500 |
| 6,0 | 50 | PZ3 | 651294 | FSP-SZ 6,0 x 50 YZF 100 | 44 | 100 |
| 6,0 | 50 | PZ3 | 651295 | FSP-SZ 6,0 x 50 YZF 200 | 44 | 200 |
| 6,0 | 60 | PZ3 | 651302 | FSP-SZ 6,0 x 60 YZF 200 | 54 | 200 |